

Bosch Thermotechnology Australia Residential Hot Water Appliances



Why choose Bosch

Bosch in every detail. Simply revolutionary hot water and heating.

Bosch has been setting trends in hot water and hydronic heating for more than 100 years and is a brand you can trust. Quality comes from experience and we strive to make the best even better.

Every detail of every appliance has been carefully designed, produced and tested by our engineers to fully satisfy the highest standards in quality, performance and convenience. The result is cutting edge technology, efficiency and comfort.



Bosch Quality

Our years of experience in water heaters and hydronic heating boilers paired with the latest German engineering allows us to design and manufacture the highest quality products without compromise to deliver perfect results.




Reliability Guaranteed

Before our appliances leave our factory, we test every tiny detail and subject them to extensive stress tests. Only when every one of the components meets our high standards of function, quality and reliability 100%, is a Bosch water heater or hydronic heating boiler ready to face its most important challenge: being used at home.



Australian Based and Proud

Bosch has had a presence in Australia since 1907 and guarantee product and spare parts piece of mind. We are a global leader in hydronic heating boilers and residential water heaters.



Lifetime service. It goes without saying at Bosch

Once your warranty period is over, we are still here to assist you. You can rely on expert care and first rate service through the lifetime of your appliance. From missing instruction manuals to appliance repair, we take care of everything.

Bosch Hot Water

Mechanical Gas Continuous Flow Water Heaters

Bosch has the largest range of mechanical gas continuous flow water heaters in the Australian market, suitable for all applications. Built to last, with no electrical power connection, replacement battery or water flow restrictors required. The HydroPower, Pilot and Internal Compact appliances deliver continuous hot water reliably and efficiently.

The Bosch mechanical range has over 30 years proven performance and reliability servicing Australian homes – which is why we're the brand Australian plumbers trust!









The Bosch Mechanical Range Advantage

- ▶ Built to last
- ► No electrical power connection required
- No battery replacement required
- ► No water flow restrictors required
- ▶ Efficient continuous flow technology only heats water when required
- ▶ Internal Compact model is perfect for frost prone areas



Image	Product Range	Part Number	Model Number	Description
BOSOH	HydroPower	7716462901	TF250-8GNG	Bosch 10H External NG
	HydroPower	7716463301	TF250-8GLP	Bosch 10H External LPG
	HydroPower	7716472601	TF325-8GNG	Bosch 13H External NG
2	HydroPower	7716473601	TF325-8GLP	Bosch 13H External LPG
	HydroPower	7716482601	TF400-8GNG	Bosch 16H External NG
W Madestra	HydroPower	7716483601	TF400-8GLP	Bosch 16H External LPG
ROSCH BOSCHER	Pilot	9707061030	TF250NG1TH	Bosch 10P NG
	Pilot	9707061028	TF250LP3TH	Bosch 10P LPG
	Pilot	9707063000	TF400NG1TR	Bosch 16P NG
	Internal Compact	7701331614	GWH10-2GNG	Bosch Ci10 Internal NG
(Q Proces)	Internal Compact	7701531975	GWH10-2GLP	Bosch Ci10 Internal LPG
	Internal Compact	7702331714	GWH13-2GNG	Bosch Ci13 Internal NG
	Internal Compact	7702531974	GWH13-2GLP	Bosch Ci13 Internal LPG
	Internal Compact	7703331744	GWH16-2GNG	Bosch Ci16 Internal NG
	Internal Compact	7703531948	GWH16-2GLP	Bosch Ci16 Internal LPG

Accessories

Image	Product Name	Part Number	Description
ERRI EXOGEL AN WENT OF THE STATE OF THE ST	Exogel Valve	H707060151	Exogel valve – mild frost protection

Mechanical Gas Continuous Flow Water Heaters

Technical Specifications

Bosch HydroPower	10H	13H	16H
Installation	External		
Ignition	HydroPower		
Star rating Star rating	5.3	5.2	5.0
L/min at 25°C temperature rise	10L	13L	16L
Min inlet water pressure	30 kPa	40 kPa	50 kPa
Min constant water pressure for max flow	60 kPa	100 kPa	130 kPa
Max inlet water pressure	800kPa		
Max gas consumption	79 MJ/h	104 MJ/h	130 MJ/h
Min Flow	3.5 L/min		
Gas Type		NG/LPG	
Dimensions HxWxD (mm)	845 x 405 x 265	845 x 405 x 265	936 x 460 x 265
Pipe connection sizes Gas	20mm (NG) 15mm (LPG)		
Pipe connection sizes Water	15mm		
Warranty – domestic use	2 years parts and labour, 10 year heat exchanger*		exchanger*

Bosch Pilot	10P	16P	
Installation	External		
Ignition	Standing Pilot Light		
Star rating	4.6	4.3	
L/min at 25°C temperature rise	10L	16L	
Min inlet water pressure	30 kPa	50 kPa	
Min constant water pressure for max flow	90 kPa	150 kPa	
Max inlet water pressure	1200kPa		
Max gas consumption	82 MJ/h	130 MJ/h	
Min Flow	3.2L/min	3.2L/min	
Gas Type	NG/LPG	NG	
Dimensions HxWxD (mm)	845 x 405 x 265	936 x 460 x 265	
Pipe connection sizes Gas	20mm (NG) 15mm (LPG)		
Pipe connection sizes Water	15mm		
Warranty – domestic use	2 years parts and labour,	, 10 year heat exchanger*	

Bosch Internal Compact	Ci10	Ci13	Ci16
Installation		Internal	
Ignition	HydroPower		
Star rating	5.3	4.5	4.6
L/min at 25°C temperature rise	10L	13L	16L
Min inlet water pressure	50 kPa		
Min constant water pressure for max flow	100 kPa	140 kPa	170 kPa
Max inlet water pressure	1000kPa		
Max gas consumption	79 MJ/h	100 MJ/h (NG) 97 MJ/h (LPG)	127 MJ/h
Min Flow	2.5 L/min		
Gas Type	NG/LPG		
Dimensions HxWxD (mm)	580 x 310 x 220	655 x 350 x 220	655 x 425 x 220
Pipe connection sizes Gas	20mm (NG) 15mm (LPG)		
Pipe connection sizes Water	15mm		
Warranty – domestic use	2 years parts and labour, 10 year heat exchanger*		exchanger*

^{*}Heat exchanger part only

Connect with us

Here at Bosch we've been proudly supplying revolutionary Hot Water & Heating Solutions for over 100 years.

We're always here to help.



Visit Our Website

Bosch Website	bosch-climate.com.au
Technical and Spare Parts Information	boschhotwatertraining.com.au



Email Us

Sales Orders - Main Units	HotWater.Sales@au.bosch.com
Sales Orders - Spare Parts	Sales@SystemControl.com.au
General Information	HotWater.Query@au.bosch.com
Warranty Services	HotWater.Warranty@au.bosch.com
Service Agent Payments	AP.RBAU@au.bosch.com
Accounts	Rbau.Remittances@au.bosch.com
Credit Claims	Claims.TT@au.bosch.com
Marketing	Hot.Water@au.bosch.com



Alternatively, speak with our helpful team

1300 30 70 37

Monday to Friday, 8am to 6pm (Melbourne Time).

We are closed on all National Public Holidays and are open with reduced hours for Victorian & other state based public holidays.

Model numbers and specifications are for reference only and subject to change without prior notice.

Whilst every care has been taken in the preparation of this publication, Bosch does not warrant the accuracy or completeness of the information in this publication and Bosch reserves the right to alter specifications without notice. To the extent permitted by law, Bosch excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

Bosch Thermotechnology Australia

1555 Centre Road Clayton VIC 3168

Postal Address

Locked Bag 66, Clayton South VIC 3169

Customer Line

Phone: 1300 30 70 37