Specifiers



HYDROTAP G5 B60 CLASSIC PLUS CHROME

Order Code H55706Z00AU



FILTERED

BOILING

Zip HydroTap Classic Plus Boiling Filtered water tap features simple, intuitive controls including continuous flow to fill bottles, Boiling water safety lock, and antimicrobial protection impregnated within the new Classic Plus touch-pad for enhanced hygiene. The water system features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including 2 boiling water safety modes, 3 energy saving modes including ON/OFF timers and sensor activated 'sleep when it's dark', antimicrobial protection impregnated into key water paths for enhanced hygiene, and 0.2 micron water filtration.

Manufacturing Code	H55706Z00AU
Capacity	Commercial
Boiling Cups per hour	160



Warranty

Specification Sheet

Тар	Zip HydroTap CLASSIC PLUS Tap (Chrome)
Water Pressure	Min 170kPa - Max 700kPa
Water Connection	1/2" BSP (G1/2)
Water Supply Requirements	Cold
Water Valves	Integrated 500kPa Pressure limiting valve and Dual Check Valve
Power Rating	1.8kW 220-240V 50Hz
Power Supply	1 x 10 Amp socket outlet
Dimensions	W280mm x D313mm x H333mm
Product Approvals	WaterMark, RCM



5 years (appliance warranty 36 months plus additional 24 months tank warranty)

Download more resources	▲ Download BIM Files
Click the icons below to download individual files	Download Blivi Files
Manuals	
Quick Guide	
Tap Operation Label	
Instruction Manual	
User Manual	
Brochures	
Product Brochure	
Installation Layout 3D/2D DWG	
Installation Detail	
Certifications	
Filter Performance Images	Filter Performance Data

Health Safety Image	Health Safety Download
Environment ISO Image	Environment ISO Download
Quality ISO Image	Quality ISO Download
CE Image	RCM Image
Watermark	Environmental Product Declaration Brochure
Environmental Product Declaration	