



# HYDROBOIL® 3 LITRE WHITE

## Order Code 303062

Wall mounted instant boiling water appliance with integrates 0.2 micron MicroPurity™ filtration. The Hydroboil® employs twin chamber boiling water steam-heat-boost™ technology to recycle energy from steam to pre-heat the incoming cold water. The Hydroboil® has inbuilt self-calibration technology, utilises highly accurate electronic temperature control, G4 energy management and recovery technology and incorporates a programmable digital touch-screen display with 3 energy saving modes. The main boiling water tank is constructed from the highest quality 444 grade Stainless Steel and wrapped with high performance insulation to ensure the healthiest water and optimum efficiency. The Hydroboil® is equipped with a two-way cool-touch safety tap.



Manufacturing Code	303062
--------------------	--------

Capacity	3 L
----------	-----

<b>Water Pressure</b>	Min 70kPa - Max 500kPa
-----------------------	------------------------

<b>Water Connection</b>	12.7mm BSP
-------------------------	------------

<b>Water Valves</b>	na
---------------------	----

<b>Power Rating</b>	1.5kW 220-240 V 50Hz
---------------------	----------------------

<b>Dimensions</b>	H431mm x W289mm x D183mm
-------------------	--------------------------


<b>Product Approvals</b>	WaterMark, CE,
--------------------------	----------------

<b>Warranty</b>	5 years (appliance warranty 24 months plus additional 36 months pro-rata tank warranty)
-----------------	---

## Installation Requirements

1. Must be installed by a suitably qualified person in accordance with manufacturers instructions and with all relevant plumbing and electrical regulations.
2. In some hard water areas where mineral scale accumulation can become a problem, consideration should be given to the maintenance required, adding a high capacity filtration or water softening system should be considered.

## Installation Detail



303062

