

HYDROBOIL® 5 LITRE WHITE

Order Code 305062

Wall mounted instant boiling water appliance with integrates 0.2 micron MicroPurity™ filtration. The Hydroboil® employs twin chamber boiling water steamheat-boost™ technology to recycle energy from steam to pre-heat the incoming cold water. The Hydroboil® has inbuilt self-calibration technology, utilises highly accurate electronic temperature control, G4 energy management and recovery technology and incorporates a programmable digital touch-screen display with 3 energy saving modes. The main boiling water tank is constructed from the highest quality 444 grade Stainless Steel and wrapped with high performance insulation to ensure the healthiest water and optimum efficiency. The Hydroboil® is equipped with a two-way cool-touch safety tap.



Manufacturing Code	305062
Capacity	5 L

Water Pressure	Min 70kPa - Max 500kPa
Water Connection	12.7mm BSP
Water Valves	na
Power Rating	2.4kW 220-240 V 50Hz
Dimensions	H461mm x W318mm x D201mm
Product Approvals	WaterMark, CE,
Warranty	5 years (appliance warranty 24 months plus additional 36 months pro-rata tank warranty)

Installation Requirements

- 1. Must be installed by a suitably qualified person in accordance with manufacturers instructions and with all relevant plumbing and electrical regulations.
- 2. In some hard water areas where mineral scale accumulation can become a problem, consideration should be given to the maintenance required, adding a high capacity filtration or water softening system should be considered.

Installation Detail

